

Over 40 branches
nationwide

arco[®]

Experts in Safety

arco[®]

The Arco Comfort Range of Gloves

Scotland	Telephone	Sat Nav
Aberdeen	01224 249 494	AB12 3LH
Bellshill	01698 841 697	ML4 3LR
Glasgow	0141 419 3231	G51 2YY
Irvine	01294 315 908	KA12 8NB
Linlithgow	01506 841 510	EH49 7QY

North East England	Telephone	Sat Nav
Blaydon-on-Tyne	0191 499 1555	NE21 5SJ
Stockton-on-Tees	01642 617 441	TS18 2QX

North West England	Telephone	Sat Nav
Carlisle	01228 591 100	CA3 0HA
Darwen	01254 778 680	BB3 0DB
Ellesmere Port	0151 326 2626	CH66 7PA
Trafford Park	0161 869 5807	M17 1EZ
Warrington	01925 636 139	WA2 8NT

Yorkshire and the Humber	Telephone	Sat Nav
Bradford	01274 732 211	BD4 8SL
Doncaster	01302 341 195	DN2 4QR
Grimsby	01472 361 756	DN31 2UJ
Hull	01482 611 611	HU1 2RZ
Leeds	01132 429 531	LS12 1DA
Ossett	01924 268 800	WF5 9JQ
Sheffield	0114 253 6367	S9 4WA

East Midlands	Telephone	Sat Nav
Nottingham	0115 938 0456	NG8 4GY
Leicester	0116 231 8700	LE3 1UQ
Northampton	01604 763 805	NN5 5JW

West Midlands	Telephone	Sat Nav
Coventry	02476 369 780	CV7 9ND
Stoke	01782 279 254	ST1 5NP
West Bromwich	0121 500 6060	B71 1BU

East England	Telephone	Sat Nav
Bury St Edmunds	01284 773 030	IP32 7BY

South of England	Telephone	Sat Nav
Avonmouth	0117 982 3751	BS11 8DF
Basilidon	01268 525 847	SS14 3JD
Chandlers Ford	023 8027 0000	SO53 4SE
Heathrow	01753 685 192	SL3 0BS
Orpington	01689 875 411	BR5 3QB
Park Royal	01923 204 141	NW10 7UL
Plymouth	01752 751 650	PL6 7PY
Poole	01202 640 468	BH17 7AE
Portsmouth	023 9273 4995	E9 5HD
Stratford	02085 250 974	WD24 4YT
Watford	01923 204 141	WD24 4YT

Wales	Telephone	Sat Nav
Cardiff	02920 475 810	CF24 1RF
Swansea	01792 792 390	SA6 8QD


Northern Ireland	Telephone	Sat Nav
Newtownabbey	028 9083 0850	BT36 4TY

Republic of Ireland	Telephone	Sat Nav
Dublin	(+353) 1 409 5000	

- Call your local sales office Monday to Friday 8am to 5.30pm
- Visit your nearest trade counter
- Order online at www.arco.co.uk

Arco Limited, P.O. Box 21, Waverley Street, Hull HU1 2SJ

© Arco Limited 2013. All Rights Reserved.



Gloves manufactured from the thinnest, most lightweight yarns, offering a range of protection against mechanical risks, sharp objects and thermal hazards

New Comfort Range of Lightweight Gloves

Arco recently conducted a survey with customers who are glove users as we wanted to ensure that customer requirements were paramount in the design of new products. Arco want glove specifiers, buyers and end users to play a key role in our new product development.

Research showed that the three most important features for customers were functionality, protection and comfort.

Whilst functionality and protection are a natural feature of any Arco glove, our new range places increased emphasis on end user comfort. Ergonomic design, precision manufacture and cutting edge technology have been combined to offer a range of gloves that offer excellent levels of protection whilst being supremely comfortable.



Standards

Arco stays informed and are up to date with current regulations for hand protection, so you can rest assured you are in safe hands. Our new range of gloves have been tested and approved to meet all relevant standards.

Comfort Light PU, Comfort Light Latex and Cut Grip Comfort are approved to:

EN 388:2003 Protective gloves against mechanical risks

This standard is intended to assess a glove's ability to protect against mechanical hazards such as cutting. It includes a series of four tests which measure the glove's resistance to abrasion, cutting, tearing and puncture.

Gloves must achieve at least Performance Level 1 for abrasion and tear.



Cut Grip Comfort also meets:

EN 407:2004 Protection from thermal hazards

This standard specifies thermal performance for protective gloves against heat or cold.

The nature and degree of protection is shown by a pictogram followed by a series of six performance levels, relating to specific protective qualities.

The 'heat and flame' pictogram is accompanied by a six digit number:

- Resistance to flammability (performance level 0 - 4)
- Contact heat resistance (performance level 0 - 4)
- Convective heat resistance (performance level 0 - 4)
- Radiant heat resistance (performance level 0 - 4)
- Resistance to small splashes of molten metal (performance level 0 - 4)
- Resistance to large splashes of molten metal (performance level 0 - 4)



Cut Grip Comfort

Maximum cut protection, superb dexterity, fluid repellency, climate control and fantastic grip, all in one glove. This glove is ideal for anyone looking for comfortable, functional, cut 5 level protection.

The lightweight, flexible 15g liner has been woven from highly cut resistant yarns to provide cut 5 level protection whilst allowing the hand to retain maximum movement. The cut resistant liner has been coated with foam nitrile which provides an excellent grip in wet, dry and even oily conditions. Foam nitrile also absorbs oil which helps to keep the palm area clean.

Ideal for any environment where sharps are present, the dexterity of the glove means you can benefit from cut 5 level protection without loss of flexibility. The gloves are dexterous enough for use in the automotive sector, robust enough for use in construction and fluid repellent which makes them suitable for oily working environments such as manufacturing.

- Foam nitrile coating provides excellent grip in oily conditions
- Ultra lightweight 15g glove feels like a second skin and enables maximum dexterity
- A number of highly cut resistant yarns have been woven together to provide outstanding mechanical protection
- Breathable porous foam nitrile coating allows the palm of the hand to breathe and keeps hands cool and dry while working
- Foam nitrile coating also absorbs oil which helps to keep the palm area clean
- Fluid repellent liner prevents ingress of moisture which helps to keep hands clean and dry

Approved to:

EN 388:2003 Protective gloves against mechanical risks

EN 407:2004 Protection from thermal hazards



Ref: 14T6000

Size range 8 - 11



Comfort Light PU

This robust working glove includes a lightweight 15g liner coated with PU which is a tough material that provides good abrasion resistance whilst retaining flexibility.

The fabric has elastic properties which ensure that the glove fits well and that your hand has freedom to move which reduces hand fatigue. The fabric also allows your skin to breathe while working which helps to keep hands cool and comfortable. The glove has fluid repellent properties too; fluids including grease will bead off the glove to keep hands clean.

Ideal for environments where you need to wear a glove for protection but also need to maintain dexterity for fine-handling applications, for example, light engineering or small parts assembly.

- 15g liner is extremely lightweight
- Lightweight yarn does not restrict movement and is ideal for dexterous handling
- Ergonomically designed to provide a good fit
- PU coated palm provides excellent grip in wet or dry conditions
- Both the liner and PU polymer coating are breathable allowing the hands to breathe on both sides keeping them cool while you work
- Both the liner and PU polymer coating are fluid and grease repellent which helps keep hands clean

Approved to:

EN 388:2003 Protective gloves against mechanical risks



Ref: 1235700

Size range 7 – 10



Comfort Light Latex

This glove is lightweight, fluid repellent and breathable. It includes a lightweight 15g liner coated with latex which is a robust, pliable material that provides an excellent grip in wet or dry conditions. The fabric has elastic properties which ensure that the glove fits well and that your hand has freedom to move which reduces hand fatigue. The fabric also allows your skin to breathe while working which helps to keep hands cool and comfortable. The glove has fluid repellent properties too; fluids including grease will bead off the glove to keep hands clean.

Ideal for robust demands such as when working in construction, engineering or manufacturing environments.

- 15g liner is extremely lightweight
- Latex grip is ideal for manual handling tasks because it provides a great grip and abrasion resistance
- Ergonomically designed to provide a good fit
- Both the liner and PU polymer coating are breathable allowing the hands to breathe on both sides keeping them cool while you work
- Both the liner and PU polymer coating are fluid and grease repellent which helps keep hands clean

Approved to:

EN 388:2003 Protective gloves against mechanical risks



Ref: 1235800

Size range 7 – 10



Touchscreen Comfort

The Touchscreen Comfort is approved to:
EN 1149 Electrostatic properties

This standard specifies the requirements and test methods for materials used in the manufacturing of electrostatic dissipative protective clothing including gloves to avoid electrostatic discharges.

EN 1149 – 1 defines the test to measure surface resistivity/resistance (Ω) = resistance in ohm along the surface of the material, between two specified electrodes (resting on the test specimen).

EN 1149 – 5 defines the criteria to claim antistaticity for gloves:

- Surface resistance $< 2.5 \times 10^9 \Omega$
(or Surface resistivity $< 5 \times 10^{10} \Omega$) OR
- Charge decay time $T50 < 4s$
- For vertical resistance (Ω), there are no set criteria defined.

EN 511:2006 Gloves giving protection from cold

This standard applies to any gloves designed to protect the hands against convective and contact cold down to -50°C . Protection against cold is expressed by a pictogram followed by a series of three performance levels, relating to specific protective qualities.

The 'cold hazard' pictogram is accompanied by a three digit number:

- Resistance to convective cold (performance level 0 - 4)
- Resistance to contact cold (performance level 0 - 4)
- Penetration by water (0 or 1)

0 = water penetration

1 = no water penetration



Most industrial gloves fail to work when used with touch screen technologies but this glove is as effective as fingertips. A first in the industrial market, the only touch screen glove that meets a series of European industrial safety standards.

Ideal for any application where touch screen technology is used such as portals, screens and mobile telephones. The perfect glove for retail, warehousing, services and logistics environments.

- Lightweight glove provides high dexterity
- Specially treated fluid repellent yarn ensures dry hands
- Fibres are permanently coated with friction engineered material, perfect for unimpeded operation of touch screen devices; the material complies with EN1149 – 1 Surface resistance
- Ambidextrous dotting pattern for superb grip. Thumb and forefinger excluded for touch screen operation
- Thermally treated for barrier against cold

Approved to:

EN 388:2003 Protective gloves against mechanical risks

EN 1149 Electrostatic properties

EN 1149 – 1

EN 1149 – 5

EN 511:2006 Gloves giving protection from cold



Ref: 14T6100

One size