

Over 40 branches
nationwide

arco[®]

Experts in Safety

arco[®]

The Arco Comfort Range of Gloves

| Scotland | Telephone | Sat Nav |
|------------|---------------|----------|
| Aberdeen | 01224 249 494 | AB12 3LH |
| Bellshill | 01698 841 697 | ML4 3LR |
| Glasgow | 0141 419 3231 | G51 2YY |
| Irvine | 01294 315 908 | KA12 8NB |
| Linlithgow | 01506 841 510 | EH49 7QY |

| North East England | Telephone | Sat Nav |
|--------------------|---------------|----------|
| Blaydon-on-Tyne | 0191 499 1555 | NE21 5SJ |
| Stockton-on-Tees | 01642 617 441 | TS18 2QX |

| North West England | Telephone | Sat Nav |
|--------------------|---------------|----------|
| Carlisle | 01228 591 100 | CA3 0HA |
| Darwen | 01254 778 680 | BB3 0DB |
| Ellesmere Port | 0151 326 2626 | CH66 7PA |
| Trafford Park | 0161 869 5807 | M17 1EZ |
| Warrington | 01925 636 139 | WA2 8NT |

| Yorkshire and the Humber | Telephone | Sat Nav |
|--------------------------|---------------|----------|
| Bradford | 01274 732 211 | BD4 8SL |
| Doncaster | 01302 341 195 | DN2 4QR |
| Grimsby | 01472 361 756 | DN31 2UJ |
| Hull | 01482 611 611 | HU1 2RZ |
| Leeds | 01132 429 531 | LS12 1DA |
| Ossett | 01924 268 800 | WF5 9JQ |
| Sheffield | 0114 253 6367 | S9 4WA |

| East Midlands | Telephone | Sat Nav |
|---------------|---------------|---------|
| Nottingham | 0115 938 0456 | NG8 4GY |
| Leicester | 0116 231 8700 | LE3 1UQ |
| Northampton | 01604 763 805 | NN5 5JW |

| West Midlands | Telephone | Sat Nav |
|---------------|---------------|---------|
| Coventry | 02476 369 780 | CV7 9ND |
| Stoke | 01782 279 254 | ST1 5NP |
| West Bromwich | 0121 500 6060 | B71 1BU |

| East England | Telephone | Sat Nav |
|-----------------|---------------|----------|
| Bury St Edmunds | 01284 773 030 | IP32 7BY |

| South of England | Telephone | Sat Nav |
|------------------|---------------|----------|
| Avonmouth | 0117 982 3751 | BS11 8DF |
| Basilidon | 01268 525 847 | SS14 3JD |
| Chandlers Ford | 023 8027 0000 | SO53 4SE |
| Heathrow | 01753 685 192 | SL3 0BS |
| Orpington | 01689 875 411 | BR5 3QB |
| Park Royal | 01923 204 141 | NW10 7UL |
| Plymouth | 01752 751 650 | PL6 7PY |
| Poole | 01202 640 468 | BH17 7AE |
| Portsmouth | 023 9273 4995 | |
| Stratford | 02085 250 974 | E9 5HD |
| Watford | 01923 204 141 | WD24 4YT |

| Wales | Telephone | Sat Nav |
|---------|---------------|----------|
| Cardiff | 02920 475 810 | CF24 1RF |
| Swansea | 01792 792 390 | SA6 8QD |


| Northern Ireland | Telephone | Sat Nav |
|------------------|---------------|----------|
| Newtownabbey | 028 9083 0850 | BT36 4TY |

| Republic of Ireland | Telephone | Sat Nav |
|---------------------|-------------------|---------|
| Dublin | (+353) 1 409 5000 | |

- Call your local sales office Monday to Friday 8am to 5.30pm
- Visit your nearest trade counter
- Order online at www.arco.co.uk

Arco Limited, P.O. Box 21, Waverley Street, Hull HU1 2SJ

© Arco Limited 2013. All Rights Reserved.



Gloves manufactured from the thinnest, most lightweight yarns, offering a range of protection against mechanical risks, sharp objects and thermal hazards

New Comfort Range of Lightweight Gloves

Arco recently conducted a survey with customers who are glove users as we wanted to ensure that customer requirements were paramount in the design of new products. Arco want glove specifiers, buyers and end users to play a key role in our new product development.

Research showed that the three most important features for customers were functionality, protection and comfort.

Whilst functionality and protection are a natural feature of any Arco glove, our new range places increased emphasis on end user comfort. Ergonomic design, precision manufacture and cutting edge technology have been combined to offer a range of gloves that offer excellent levels of protection whilst being supremely comfortable.



Standards

Arco stays informed and are up to date with current regulations for hand protection, so you can rest assured you are in safe hands. Our new range of gloves have been tested and approved to meet all relevant standards.

Comfort Light PU, Comfort Light Latex and Cut Grip Comfort are approved to:

EN 388:2003 Protective gloves against mechanical risks

This standard is intended to assess a glove's ability to protect against mechanical hazards such as cutting. It includes a series of four tests which measure the glove's resistance to abrasion, cutting, tearing and puncture.

Gloves must achieve at least Performance Level 1 for abrasion and tear.



Cut Grip Comfort also meets:

EN 407:2004 Protection from thermal hazards

This standard specifies thermal performance for protective gloves against heat or cold.

The nature and degree of protection is shown by a pictogram followed by a series of six performance levels, relating to specific protective qualities.

The 'heat and flame' pictogram is accompanied by a six digit number:

- Resistance to flammability (performance level 0 - 4)
- Contact heat resistance (performance level 0 - 4)
- Convective heat resistance (performance level 0 - 4)
- Radiant heat resistance (performance level 0 - 4)
- Resistance to small splashes of molten metal (performance level 0 - 4)
- Resistance to large splashes of molten metal (performance level 0 - 4)



Cut Grip Comfort

Maximum cut protection, superb dexterity, fluid repellency, climate control and fantastic grip, all in one glove. This glove is ideal for anyone looking for comfortable, functional, cut 5 level protection.

The lightweight, flexible 15g liner has been woven from highly cut resistant yarns to provide cut 5 level protection whilst allowing the hand to retain maximum movement. The cut resistant liner has been coated with foam nitrile which provides an excellent grip in wet, dry and even oily conditions. Foam nitrile also absorbs oil which helps to keep the palm area clean.

Ideal for any environment where sharps are present, the dexterity of the glove means you can benefit from cut 5 level protection without loss of flexibility. The gloves are dexterous enough for use in the automotive sector, robust enough for use in construction and fluid repellent which makes them suitable for oily working environments such as manufacturing.

- Foam nitrile coating provides excellent grip in oily conditions
- Ultra lightweight 15g glove feels like a second skin and enables maximum dexterity
- A number of highly cut resistant yarns have been woven together to provide outstanding mechanical protection
- Breathable porous foam nitrile coating allows the palm of the hand to breathe and keeps hands cool and dry while working
- Foam nitrile coating also absorbs oil which helps to keep the palm area clean
- Fluid repellent liner prevents ingress of moisture which helps to keep hands clean and dry

Approved to:

EN 388:2003 Protective gloves against mechanical risks

EN 407:2004 Protection from thermal hazards



Ref: 14T6000

Size range 8 - 11



Comfort Light PU

This robust working glove includes a lightweight 15g liner coated with PU which is a tough material that provides good abrasion resistance whilst retaining flexibility.

The fabric has elastic properties which ensure that the glove fits well and that your hand has freedom to move which reduces hand fatigue. The fabric also allows your skin to breathe while working which helps to keep hands cool and comfortable. The glove has fluid repellent properties too; fluids including grease will bead off the glove to keep hands clean.

Ideal for environments where you need to wear a glove for protection but also need to maintain dexterity for fine-handling applications, for example, light engineering or small parts assembly.

- 15g liner is extremely lightweight
- Lightweight yarn does not restrict movement and is ideal for dexterous handling
- Ergonomically designed to provide a good fit
- PU coated palm provides excellent grip in wet or dry conditions
- Both the liner and PU polymer coating are breathable allowing the hands to breathe on both sides keeping them cool while you work
- Both the liner and PU polymer coating are fluid and grease repellent which helps keep hands clean

Approved to:

EN 388:2003 Protective gloves against mechanical risks



Ref: 1235700

Size range 7 – 10



Comfort Light Latex

This glove is lightweight, fluid repellent and breathable. It includes a lightweight 15g liner coated with latex which is a robust, pliable material that provides an excellent grip in wet or dry conditions. The fabric has elastic properties which ensure that the glove fits well and that your hand has freedom to move which reduces hand fatigue. The fabric also allows your skin to breathe while working which helps to keep hands cool and comfortable. The glove has fluid repellent properties too; fluids including grease will bead off the glove to keep hands clean.

Ideal for robust demands such as when working in construction, engineering or manufacturing environments.

- 15g liner is extremely lightweight
- Latex grip is ideal for manual handling tasks because it provides a great grip and abrasion resistance
- Ergonomically designed to provide a good fit
- Both the liner and PU polymer coating are breathable allowing the hands to breathe on both sides keeping them cool while you work
- Both the liner and PU polymer coating are fluid and grease repellent which helps keep hands clean

Approved to:

EN 388:2003 Protective gloves against mechanical risks



Ref: 1235800

Size range 7 – 10



Touchscreen Comfort

The Touchscreen Comfort is approved to:

EN 1149 Electrostatic properties

This standard specifies the requirements and test methods for materials used in the manufacturing of electrostatic dissipative protective clothing including gloves to avoid electrostatic discharges.

EN 1149 – 1 defines the test to measure surface resistivity/resistance (Ω) = resistance in ohm along the surface of the material, between two specified electrodes (resting on the test specimen).

EN 1149 – 5 defines the criteria to claim antistaticity for gloves:

- Surface resistance < $2.5 \times 10^9 \Omega$
(or Surface resistivity < $5 \times 10^{10} \Omega$) OR
- Charge decay time $T50 < 4s$
- For vertical resistance (Ω), there are no set criteria defined.

EN 511:2006 Gloves giving protection from cold

This standard applies to any gloves designed to protect the hands against convective and contact cold down to -50°C . Protection against cold is expressed by a pictogram followed by a series of three performance levels, relating to specific protective qualities.

The 'cold hazard' pictogram is accompanied by a three digit number:

- Resistance to convective cold (performance level 0 - 4)
- Resistance to contact cold (performance level 0 - 4)
- Penetration by water (0 or 1)

0 = water penetration

1 = no water penetration



Most industrial gloves fail to work when used with touch screen technologies but this glove is as effective as fingertips. A first in the industrial market, the only touch screen glove that meets a series of European industrial safety standards.

Ideal for any application where touch screen technology is used such as portals, screens and mobile telephones. The perfect glove for retail, warehousing, services and logistics environments.

- Lightweight glove provides high dexterity
- Specially treated fluid repellent yarn ensures dry hands
- Fibres are permanently coated with friction engineered material, perfect for unimpeded operation of touch screen devices; the material complies with EN1149 – 1 Surface resistance
- Ambidextrous dotting pattern for superb grip. Thumb and forefinger excluded for touch screen operation
- Thermally treated for barrier against cold

Approved to:

EN 388:2003 Protective gloves against mechanical risks

EN 1149 Electrostatic properties

EN 1149 – 1

EN 1149 – 5

EN 511:2006 Gloves giving protection from cold



Ref: 14T6100

One size